L28	L24 and I8	6	L28
L27	L24 and I7	0	L27
L26	L24 and I6	23	L26
L25	L24 and I5	89	L25
L24	(block\$1 or portion\$1 or bucket\$1 or chunk\$1 or segment\$1) and I4	384	L24
	=PGPB; PLUR=YES; OP=OR	001	
<i>D</i> D-	(general near1 purpose near1 register\$1 and (transfer\$5 or send\$3 or		
L23	sent) and (indicat\$3 or specif\$6) and offset\$1 and (portion\$1 or	1	L23
	block\$1) and element\$1 and (count or number)).clm.		
DB=	=PGPB,USPT,USOC; PLUR=YES; OP=OR		
<u>L22</u>	L21 and I2	5	<u>L22</u>
<u>L21</u>	(moyer near1 william).in.	234	<u>L21</u>
DB=	PGPB,USPT; PLUR=YES; OP=OR		
<u>L20</u>	I2 and I8	46	<u>L20</u>
<u>L19</u>	12 and 17	6	<u>L19</u>
<u>L18</u>	12 and 16	57	<u>L18</u>
<u>L17</u>	12 and 15	217	<u>L17</u>
<u>L16</u>	l4 and l8	6	<u>L16</u>
<u>L15</u>	I4 and I7	0	<u>L15</u>
<u>L14</u>	14 and 16	23	<u>L14</u>
<u>L13</u>	14 and 15	89	<u>L13</u>
<u>L12</u>	13 and 18	6	<u>L12</u>
<u>L11</u>	13 and 17	0	<u>L11</u>
<u>L10</u>	l3 and l6	23	<u>L10</u>
<u>L9</u>	I3 and I5	89	<u>L9</u>
<u>L8</u>	(710/52-60)[CCLS]	3592	<u>L8</u>
<u>L7</u>	(711/170-173)[CCLS]	4105	<u>L7</u>
<u>L6</u>	(712/2-25, 225-228)[CCLS]	3010	<u>L6</u>
<u>L5</u>	(712/2-300)[CCLS]	13690	<u>L5</u>
DB=	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		`
<u>L4</u>	L3 and (length or size or width)	389	<u>L4</u>
<u>L3</u>	L2 and (offset)	406	<u>L3</u>

(transmi\$5 or transfer\$5 or sent or send\$3 or mov\$3) near12

(indicat\$4 or assign\$5 or specif\$5 or designat\$4) near12 (number of count\$3) near12 (stor\$6 or memor\$4 or ram or sram or dram) near12

register\$1

(transmi\$5 or transfer\$5 or sent or send\$3 or mov\$3) near12

L1 (indicat\$4 or assign\$5 or specif\$5 or designat\$4) near12 (number of count\$3)

END OF SEARCH HISTORY



Home | Login | Logout | Access Information | Alerts | Purchase History | C

Welcome United States Patent and Trademark Office.

	* RELEASE 2.4					
Search Result	:5		BROWSE	SEARCH	IEEE XPLORE GUIDE	
Your search m	(number, count*) <and> (width, let atched 2 of 1641691 documents. 100 results are displayed, 25 to a p</and>		- '			⊠ e-mail
» Search Optio	ıns					
View Session I	History	Modify Se	earch			
New Search		(((number,	count*) <and> (width, length, size) <a< td=""><td>ind> offset* <and> reg</and></td><td>ister*)<in>me</in></td><td></td></a<></and>	ind> offset* <and> reg</and>	ister*) <in>me</in>	
		Chec	ck to search only within this results s	set		
» Key		Display F	ormat:	Citation & Abstra	ict	
IEEE JNL	IEEE Journal or Magazine					
IET JNL	IET Journal or Magazine	view s	selected items Select All	Deselect All		
IEEE CNF	IEEE Conference Proceeding					
IET CNF	IET Conference Proceeding	<u> </u>	Procedural level address offset	assignment of DSI	P applications with loops	
IEEE STD	IEEE Standard		Zhang, Y.; Yang, J.; Parallel Processing, 2003. Procee	edings, 2003 Interna	tional Conference on	
			2003 Page(s):21 - 28 Digital Object Identifier 10.1109/IC	CDD 2003 1240562		
			AbstractPlus Full Text: PDF(329			
			Rights and Permissions	,		
		2.	A uniform optimization technique Leupers, R.; David, F.; System Synthesis, 1998. Proceed 2-4 Dec. 1998 Page(s):3 - 8 Digital Object Identifier 10.1109/IS AbstractPlus Full Text: PDF(224	tings. 11th Internatio		
			AUSTRACTION FUIL TOXL EDE(224	NO) ICCC CITE		

Rights and Permissions

indexed by च्च Inspec

Help Contact Us Privac

© Copyright 2006 IE

Refine Search


Search Results -

Term	Documents		
(23 AND 24).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	1		
(L24 AND			
L23).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.			

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:



Refine Search

Interrupt

Search History

 Set Name Name side by side
 Query Count Count
 Hit Count result set
 Set Name Count result set

 DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR
 1 L30

 L30 124 and 123
 1 L30

L29 | 124 and | 121

5 L29